

CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Tongwei Co., Ltd.
No. 588, Middle Section Tianfu Avenue,
High-Tech Zone, Chengdu,
China (Sichuan) Pilot Free Trade Zone

is authorized to provide the product mentioned below with the mark as illustrated:

Description of product (details see Annex 2):

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules



Valid from: 2024-01-11
Valid until: 2026-06-15

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC 61701:2020 / EN IEC 61701:2020
Remark:	Test Method 6
	Test duration: 1344 hours
Registered No.:	44 780 23 406749 - 329R1A1M1
Manufacturer and factory(-ies):	See Annex 1
Test Report No.:	492012721.002
File No.:	PVP12119/23P-01



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2024-01-11

Please also pay attention to the information stated overleaf.

Manufacturer:

Manufacturer:	Tongwei Solar (Hefei) Co., Ltd. No.888, Changning Road, High-tech District, Hefei City, Anhui Province, 230088, P.R. China
Manufacture 1:	Tongwei Solar (Hefei) Co., Ltd. No.888, Changning Road, High-tech District, Hefei City, Anhui Province, 230088, P.R. China
Factory inspection report no.:	862010358.007
Manufacture 2:	Hefei GCL System Integration New Energy Technology Co., Ltd. Southeast Corner of Intersection of Sidingshan Road and Ruquan Road, Hefei Circular Economy Demonstration Park, Feidong County, Hefei City, Anhui Province, P.R. China
Factory inspection report no.:	862010696.002
Manufacture 3:	Jiangsu Yueyang Photovoltaic Technology Co., Ltd. 777 Tangqiao Road, High-tech Economic Zone, Jianhu County, Yancheng City, 224700 Jiangsu Province, P.R. China.
Factory inspection report no.:	862010688.002
Manufacture 4:	Zibo JinenU Solar Technology Co., LTD. 3005, Silk Road, Zhoucun District, Zibo, Shandong China
Factory inspection report no.:	862010689.002
Manufacture 5:	Funing GCL System Integration Technology Co., Ltd. No.888 (A) Hong Kong Road, Funing Economic Development Zone, Yancheng City, Jiangsu Province, P.R. China
Factory inspection report no.:	862010744.002
Manufacture 6:	Tongwei Solar (Yancheng) Co., Ltd. No. 88, Jiuhuashan Road, Economic Development Zone, Yancheng City, Jiangsu Province, China
Factory inspection report no.:	862010763.001



Manufacture 7: **Tongwei Solar (Sichuan) Co., Ltd.**
No.888, Jilin East Road, Huai Kou Street, Jintang County, Chengdu City,
Sichuan Province

Factory inspection report no.: 862010782.001

Manufacture 8: **Tongwei Solar (Nantong) Co., LTD**
No. 8, Bonded 10 Road, Economic Development Zone, Nantong City,
Jiangsu Province, P. R. China

Factory inspection report no.: 862010863.001

Manufacture 9: **Tongwei Solar (Chengdu) Co., LTD**
No. 888, Linjiaci Road, Huangjia Subdistrict, Shuangliu District, Chengdu
City, Sichuan Province, China

Factory inspection report no.: 862010864.001

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



Description of product(s):

Module types: **Double Glass PV Modules with Segmented 6" Mono-crystalline Silicon Solar Cells:**
408 cells: THxxxCM5-72SD (xxx = 350-390, in increment of 5)
340 cells: THxxxCM5-60SD (xxx = 290-325, in increment of 5)
Remark: xxx indicates output power from the front side only.

Maximum system voltage: 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **Double Glass PV Modules with Segmented 6" PERC Mono-crystalline Silicon Solar Cells:**
408 cells: THxxxPM5-72SD (xxx = 390-410, in increment of 5)
408 cells: THxxxPM5-72SDA (xxx = 410-440, in increment of 5)
408 cells: THxxxPM5-72SDA-F (xxx = 410-440, in increment of 5)
408 cells: THxxxPMB5-72SD (xxx = 390-410, in increment of 5)
408 cells: THxxxPMB5-72SDA (xxx = 410-440, in increment of 5)
408 cells: THxxxPMB5-72SDA-F (xxx = 410-440, in increment of 5)
340 cells: THxxxPM5-60SD (xxx = 325-340, in increment of 5)
340 cells: THxxxPM5-60SDA (xxx = 340-365, in increment of 5)
340 cells: THxxxPM5-60SDA-F (xxx = 340-365, in increment of 5)
340 cells: THxxxPMB5-60SD (xxx = 325-340, in increment of 5)
340 cells: THxxxPMB5-60SDA (xxx = 340-365, in increment of 5)
340 cells: THxxxPMB5-60SDA-F (xxx = 340-365, in increment of 5)
Remark: xxx indicates output power from the front side only.

Maximum system voltage: 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **Double Glass PV Modules with Segmented 8" PERC Mono-crystalline Silicon Solar Cells:**
414 cells: THxxxPMB6-69SDC (xxx = 635-670, in increment of 5)
408 cells: THxxxPMB6-68SDC (xxx = 630-660, in increment of 5)
390 cells: THxxxPMB6-65SDC (xxx = 600-630, in increment of 5)
345 cells: THxxxPMB6-58SDC (xxx = 530-555, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

340 cells: THxxxPMB6-57SDC (xxx = 525-550, in increment of 5)
325 cells: THxxxPMB6-54SDC (xxx = 500-525, in increment of 5)
Remark: xxx indicates output power from the front side only.

Maximum system voltage: 1500V
Fuse rating: 30A
Application class: Class A
Electrical protection class: Class II

Module types:

Double Glass PV Modules with Half-cut 7" PERC Mono-crystalline Silicon Solar Cells:

156 cells: TWMPD-78HDxxx (xxx = 570-615, in increment of 5)
156 cells: TWxxxMBAP-156-D (xxx = 575-615, in increment of 5)
156 cells: TWxxxMBGP-156-D (xxx = 570-610, in increment of 5)
144 cells: TWMPD-72HDxxx (xxx = 525-565, in increment of 5)
144 cells: TWxxxMBAP-144-D (xxx = 530-565, in increment of 5)
144 cells: TWxxxMBGP-144-D (xxx = 525-560, in increment of 5)
132 cells: TWMPD-66HDxxx (xxx = 480-520, in increment of 5)
132 cells: TWxxxMBAP-132-D (xxx = 485-520, in increment of 5)
132 cells: TWxxxMBGP-132-D (xxx = 480-515, in increment of 5)
120 cells: TWMPD-60HDxxx (xxx = 440-470, in increment of 5)
120 cells: TWxxxMBAP-120-D (xxx = 440-470, in increment of 5)
120 cells: TWxxxMBGP-120-D (xxx = 440-470, in increment of 5)
108 cells: TWMPD-54HDxxx (xxx = 395-425, in increment of 5)
108 cells: TWxxxMBAP-108-D (xxx = 400-425, in increment of 5)
108 cells: TWxxxMBGP-108-D (xxx = 395-420, in increment of 5)
144 cells: TWMPG-72HDxxx (xxx = 560-590, in increment of 5)
108 cells: TWMPG-54HDxxx (xxx = 420-440, in increment of 5)
108 cells: TWMPG-54HCxxx (xxx = 420-440, in increment of 5)
132 cells: TWMPH-66HDxxx (xxx = 575-590, in increment of 5)
120 cells: TWMPH-60HDxxx (xxx = 525-535, in increment of 5)
96 cells: TWMPH-48HDxxx (xxx = 420-430, in increment of 5)
96 cells: TWMPH-48HCxxx (xxx = 420-430, in increment of 5)
Remark: xxx indicates output power from the front side only.

Maximum system voltage: 1500V
Fuse rating: 30A
Application class: Class A
Electrical protection class: Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types:

Double Glass PV Modules with Half-cut 7" TOPCon Mono-crystalline Silicon Solar Cells:

156 cells: TWMND-78HDxxx (xxx = 580-640, in increment of 5)
156 cells: TWxxxMBGT-156-D (xxx = 580-640 in increment of 5)
144 cells: TWMND-72HDxxx (xxx = 535-590, in increment of 5)
144 cells: TWxxxMBGT-144-D (xxx = 535-590, in increment of 5)
132 cells: TWMND-66HDxxx (xxx = 490-540, in increment of 5)
132 cells: TWxxxMBGT-132-D (xxx = 490-540, in increment of 5)
120 cells: TWMND-60HDxxx (xxx = 445-490, in increment of 5)
120 cells: TWxxxMBGT-120-D (xxx = 445-490, in increment of 5)
108 cells: TWMND-54HDxxx (xxx = 400-440, in increment of 5)
108 cells: TWxxxMBGT-108-D (xxx = 400-440, in increment of 5)
144 cells: THxxxTMBI-72ZDD (xxx = 545-560, in increment of 5)
144 cells: THxxxTMBI-72ZDDF (xxx = 545-560, in increment of 5)
132 cells: THxxxTMBI-66ZDD (xxx = 500-510, in increment of 5)
132 cells: THxxxTMBI-66ZDDF (xxx = 500-510, in increment of 5)
120 cells: THxxxTMBI-60ZDD (xxx = 455-465, in increment of 5)
120 cells: THxxxTMBI-60ZDDF (xxx = 455-465, in increment of 5)
108 cells: THxxxTMBI-54ZDD (xxx = 410-420, in increment of 5)
108 cells: THxxxTMBI-54ZDDF (xxx = 410-420, in increment of 5)
144 cells: TWMNG-72HDxxx (xxx = 580-620, in increment of 5)
108 cells: TWMNG-54HDxxx (xxx = 435-465, in increment of 5)
108 cells: TWMNG-54HCxxx (xxx = 435-465, in increment of 5)
132 cells: TWMNH-66HDxxx (xxx = 595-620, in increment of 5)
120 cells: TWMNH-60HDxxx (xxx = 540-560, in increment of 5)
96 cells: TWMNH-48HDxxx (xxx = 435-450, in increment of 5)
96 cells: TWMNH-48HCxxx (xxx = 435-450, in increment of 5)
Remark: xxx indicates output power from the front side only.

Maximum system voltage: 1500V
Fuse rating: 30A
Application class: Class A
Electrical protection class: Class II

Module types:

Double Glass PV Modules with Half-cut 8" PERC Mono-crystalline Silicon Solar Cells:

132 cells: TWMPF-66HDxxx (xxx = 635-685, in increment of 5)
132 cells: TWxxxMBCP-132-D (xxx = 635-675, in increment of 5)
132 cells: TWxxxMBIP-132-D (xxx = 635-685, in increment of 5)
120 cells: TWMPF-60HDxxx (xxx = 580-620, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

120 cells: TWxxxMBCP-120-D (xxx = 580-610, in increment of 5)
120 cells: TWxxxMBIP-120-D (xxx = 580-620, in increment of 5)
108 cells: TWMPF-54HDxxx (xxx = 520-560, in increment of 5)
108 cells: TWxxxMBCP-108-D (xxx = 520-550, in increment of 5)
108 cells: TWxxxMBIP-108-D (xxx = 520-560, in increment of 5)
110 cells: TWMPF-55HDxxx (xxx = 530-570, in increment of 5)
110 cells: TWxxxMBCP-110-D (xxx = 530-560, in increment of 5)
110 cells: TWxxxMBIP-110-D (xxx = 530-570, in increment of 5)
100 cells: TWMPF-50HDxxx (xxx = 480-515, in increment of 5)
100 cells: TWxxxMBCP-100-D (xxx = 480-510, in increment of 5)
100 cells: TWxxxMBIP-100-D (xxx = 480-515, in increment of 5)
Remark: xxx indicates output power from the front side only.

Maximum system voltage: 1500V
Fuse rating: 35A
Application class: Class A
Electrical protection class: Class II

Module types: **Double Glass PV Modules with Half-cut 8" TOPCon Mono-crystalline Silicon Solar Cells:**

132 cells: TWMNF-66HDxxx (xxx = 665-690, in increment of 5)
132 cells: TWxxxMBIT-132-D (xxx = 665-690, in increment of 5)
120 cells: TWMNF-60HDxxx (xxx = 605-625, in increment of 5)
120 cells: TWxxxMBIT-120-D (xxx = 605-625, in increment of 5)
108 cells: TWMNF-54HDxxx (xxx = 545-565, in increment of 5)
108 cells: TWxxxMBIT-108-D (xxx = 545-565, in increment of 5)
110 cells: TWMNF-55HDxxx (xxx = 530-570, in increment of 5)
110 cells: TWxxxMBIT-110-D (xxx = 530-570, in increment of 5)
100 cells: TWMNF-50HDxxx (xxx = 480-515, in increment of 5)
100 cells: TWxxxMBIT-100-D (xxx = 480-515, in increment of 5)
Remark: xxx indicates output power from the front side only.

Maximum system voltage: 1500V
Fuse rating: 35A
Application class: Class A
Electrical protection class: Class II

Module types: **Double Glass PV Modules with Half-cut 8" HJT Mono-crystalline Silicon Solar Cells:**

132 cells: TWMHF-66HDxxx (xxx = 660-720, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

120 cells: TWMHF-60HDxxx (xxx = 600-655, in increment of 5)

Remark: xxx indicates output power from the front side only.

Maximum system voltage:	1500V
Fuse rating:	35A
Application class:	Class A
Electrical protection class:	Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form).



TÜV NORD CERT GmbH
Certification Body
Consumer Products